Refine Search

Search Results -

Terms	Documents
(709/201 709/220 709/231 709/330).ccls.	2510

US Pre-Grant Publication Full-Text Database

US Patents Full-Text Database

US OCR Full-Text Database

EPO Abstracts Database

JPO Abstracts Database
Derwent World Patents Index

IBM Technical Disclosure Bulletins

Search:

Database:

₂ 5	<u> </u>	12

		pm
		16









Search History

DATE: Wednesday, February 09, 2005 Printable Copy Create Case

Set Name Query side by side result set

DB=USPT; PLUR=YES; OP=ADJ

<u>L5</u>	709/201,220,231,330.ccls.	2510	<u>L5</u>
<u>L4</u>	713/1,2.ccls.	1735	<u>L4</u>
<u>L3</u>	711/103,112,133.ccls.	2320	<u>L3</u>
<u>L2</u>	717/175,176,177,178.ccls.	329	<u>L2</u>
T.1	717/103 104 107 ccls	264	T.1



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: • The ACM Digital Library • The Guide

transmit and executable and block and initialization and client

SEARCH

Feedback Report a problem Satisfaction survev

Terms used

transmit and executable and block and initialization and client and server

Found 39.661 of 150.138

Sort results by

relevance

Save results to a Binder Search Tips

Try an Advanced Search Try this search in The ACM Guide

Display results

expanded form

Open results in a new window

Results 1 - 20 of 200

Result page: **1** <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u>

Best 200 shown

Relevance scale 🗆 🖃

1 Enhancing knowledge processing in client/server environments

J. Thomas, B. Mitschang, N. Mattos, S. Deßloch

December 1993 Proceedings of the second international conference on Information and knowledge management

Full text available: 7 pdf(1.45 MB)

Additional Information: full citation, references, index terms

2 An overview of the SR language and implementation



Gregory R. Andrews, Michael Coffin, Irving Elshoff, Kelvin Nilson, Gregg Townsend, Ronald A. Olsson, Titus Purdin

January 1988 ACM Transactions on Programming Languages and Systems (TOPLAS), Volume 10 Issue 1

Full text available: pdf(2.98 MB)

Additional Information: full citation, abstract, references, citings, index terms, review

SR is a language for programming distributed systems ranging from operating systems to application programs. On the basis of our experience with the initial version, the language has evolved considerably. In this paper we describe the current version of SR and give an overview of its implementation. The main language constructs are still resources and operations. Resources encapsulate processes and variables that they share; operations provide the primary mechanism for process interaction. ...

Fast detection of communication patterns in distributed executions

Thomas Kunz, Michiel F. H. Seuren



Full text available: pdf(4.21 MB)

Additional Information: full citation, abstract, references, index terms

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

A flexible and recoverable client/server database event notification system Eric N. Hanson, I.-Cheng Chen, Roxana Dastur, Kurt Engel, Vijay Ramaswamy, Wendy Tan,



Refine Search

Your wildcard search against 10000 terms has yielded the results below.

Your result set for the last L# is incomplete.


The probable cause is use of unlimited truncation. Revise your search strategy to use limited truncation.

Search Results -

Terms	Documents
L12 and (sen\$ or transfer\$ or distribut\$ or transmit\$) near8 (init\$ or boot\$ or start\$)	1

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:











Search History

DATE: Thursday, February 03, 2005 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=U	USPT; PLUR=YES; OP=ADJ		
<u>L13</u>	L12 and (sen\$ or transfer\$ or distribut\$ or transmit\$) near8 (init\$ or boot\$ or start\$)	1	<u>L13</u>
<u>L12</u>	6405309.pn.	1	<u>L12</u>
<u>L11</u>	16 and (distri\$ or client\$ or server\$ Or internet\$ Or network\$)	0	<u>L11</u>
<u>L10</u>	16 and (sen\$ or transfer\$ or transmit\$)	0	<u>L10</u>
<u>L9</u>	L6 and (initial\$ or start\$ or boot\$ or init\$)	1	<u>L9</u>
<u>L8</u>	16 and execut\$	1	<u>L8</u>
<u>L7</u>	L6 and (file\$ or block\$ or module\$) near5 execut\$	1	<u>L7</u>
<u>L6</u>	5774713.pn.	1	<u>L6</u>
<u>L5</u>	L4 and (distribut\$ or network\$ or client\$ or server\$)	49	<u>L5</u>

<u>L4</u>	L3 and execut\$	59	<u>L4</u>
<u>L3</u>	L2 and (each\$ or every\$) near9 (block\$ or program\$ or modul\$) same (inti\$ or boot\$ or start\$)	64	<u>L3</u>
<u>L2</u>	L1 and (plural\$ or multi\$) near4 application\$	832	<u>L2</u>
<u>L1</u>	(creat\$ or form\$ Or generat\$ or buil\$ or implement\$) near8 (init\$ or boot\$ or start\$) near4 (block\$ or program or modul\$)	16304	<u>L1</u>

Search Forms Search Results	Refine Search
Help User Searches	Search Results -
Preferences Logout	Terms Documents 6763370.pn. 1

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index

Derwent World Patents Index IBM Technical Disclosure Bulletins

Search:

L27

Database:











Search History

DATE: Sunday, January 30, 2005 Printable Copy Create Case

Set Name side by side		Hit Count	Set Name result set
DB=U	SPT; PLUR=YES; OP=ADJ		
<u>L27</u>	6763370.pn.	1	<u>L27</u>
<u>L26</u>	6453334.pn.	_ 1	<u>L26</u>
<u>L25</u>	6374402.pn.	1	<u>L25</u>
<u>L24</u>	121 and send\$	1	<u>L24</u>
<u>L23</u>	l21 and (start\$ or init\$)	1	<u>L23</u>
<u>L22</u>	L21 and execut\$	1	<u>L22</u>
<u>L21</u>	6463508.PN.	1	<u>L21</u>
<u>L20</u>	6574618.pn.	1	<u>L20</u>
<u>L19</u>	6311221.pn.	1	<u>L19</u>
<u>L18</u>	L16 and (usag\$ and monitor\$)	1	<u>L18</u>
<u>L17</u>	L16 and (usag\$ and monitor\$ and subscrib\$)	· C	<u>L17</u>
<u>L16</u>	6574618.pn.	1	<u>L16</u>
<u>L15</u>	ll and (hash\$ or digital\$ Or signatur\$ Or key)	1	<u>L15</u>
<u>L14</u>	6370573.pn.	1	<u>L14</u>

<u>L13</u>	5581706.pn.	1	<u>L13</u>
<u>L12</u>	5504886.pn.	1	<u>L12</u>
<u>L11</u>	11 and shar\$	0	<u>L11</u>
<u>L10</u>	11 and (start\$ and send\$ and usag\$ or user\$)	1	<u>L10</u>
<u>L9</u>	11 and (key\$ or encryp\$)	1	<u>L9</u>
<u>L8</u>	11 and (key\$ or ecryp\$)	1	<u>L8</u>
<u>L7</u>	11 and access	1	<u>L7</u>
<u>L6</u>	11 and (display\$ Or retriev\$ or view\$ or window\$)	1	<u>L6</u>
<u>L5</u>	11 and (user\$ and monitor\$) and display\$	1	<u>L5</u>
<u>L4</u>	11 and subscrib\$	0	<u>L4</u>
<u>L3</u>	11 and (init\$ or start\$)	1	<u>L3</u>
<u>L2</u>	11 and compres\$	1	<u>L2</u>
<u>L1</u>	6757894.pn.	1	<u>L1</u>

Refine Search

Your wildcard search against 10000 terms has yielded the results below.

Your result set for the last L# is incomplete.

The probable cause is use of unlimited truncation. Revise your search strategy to use limited truncation.

Search Results -

Terms	Documents
(does not\$ have local stored copy\$)	0


US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L52











Search History

DATE: Sunday, January 30, 2005 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=U	JSPT; PLUR=YES; OP=ADJ		
<u>L52</u>	(does not\$ have local stored copy\$)	0	<u>L52</u>
<u>L51</u>	send\$ same (no\$ near4 local\$ near5 stor\$ near4 copy\$)	4	<u>L51</u>
<u>L50</u>	L49 and (send\$ near8 block\$)	0	<u>L50</u>
<u>L49</u>	L48 and respons\$ near9 (copy\$ near4 block\$)	4	<u>L49</u>
<u>L48</u>	send\$ near5 client\$ near8 (key value\$ or id\$)	777	<u>L48</u>
<u>L47</u>	L46 and (local\$ near5 stor\$ near4 copy)	4	<u>L47</u> .
<u>L46</u>	L45 and (respons\$ near5 client\$)	142	<u>L46</u>
<u>L45</u>	(send\$ or transfer\$ or transmit\$) near6 (key\$ or id\$) near5 (stream\$ or block\$)	4608	<u>L45</u>
<u>L44</u>	L43 and (send\$ near8 block\$)	44	<u>L44</u>

<u>L43</u>	L42 and (cop\$ near5 block\$)	88	<u>L43</u>
<u>L42</u>	(distribut\$ or client\$ or server\$) and key\$ near7 (stream\$)	1388	<u>L42</u>
<u>L41</u>	138 and (boot\$ or init\$) near9 one\$ near9 (module\$ or block\$)	3	<u>L41</u>
<u>L40</u>	L39 and (block\$ near9 application\$)	0	<u>L40</u>
<u>L39</u>	L38 and (plural\$ Or multipl\$)	17	<u>L39</u>
<u>L38</u>	L36 and (sen\$ or transfer\$) near5 (initblock\$ or boot\$ or start-up\$ or start\$) near4 client\$	19	<u>L38</u>
<u>L37</u>	L36 and (sen\$ or transfer\$ near5 (initblock\$ or boot\$ or start-up\$ or start\$) near4 client\$)	3015	<u>L37</u>
<u>L36</u>	(creat\$ or form\$ or buil\$) near4 (start-up\$ or start up or initblock or boot\$)	7656	<u>L36</u>
<u>L35</u>	(start-up\$ or start up or in the lock)	62027	<u>L35</u>
<u>L34</u>	131 and start\$	3	<u>L34</u>
<u>L33</u>	L32 and (segment\$ near8 application\$ near8 block\$)	31	L33
<u>L32</u>	(creat\$ or form\$ or buil\$ or develop\$ or implement\$) near5 (initblock\$ or start-up or start up or initial\$)	122009	<u>L32</u>
<u>L31</u>	(creat\$ or form\$ or buil\$ or develop\$ or implement\$) near5 initblock\$	3	<u>L31</u>
<u>L30</u>	L29 and (segment\$ or divi\$ Or break\$) near5 (blok\$ Or module\$) near9 application\$	6	<u>L30</u>
<u>L29</u>	(form\$ Or creat4 or develop\$ or impleme nt\$ or buil\$) near4 (init\$ Or start\$) near4 (block\$ or modul\$)	3103	<u>L29</u>
<u>L28</u>	125 and (segment\$ Or blook\$ or module\$)	1	<u>L28</u>
<u>L27</u>	6763370.pn.	1	L27
<u>L26</u>	6453334.pn.	1	<u>L26</u>
<u>L25</u>	6374402.pn.	1	L25
<u>L24</u>	121 and send\$	1	<u>L24</u>
<u>L23</u>	121 and (start\$ or init\$)	1	L23
<u>L22</u>	L21 and execut\$	1	<u>L22</u>
<u>L21</u>	6463508.PN.	1	<u>L21</u>
<u>L20</u>	6574618.pn.	1	<u>L20</u>
<u>L19</u>	6311221.pn.	. 1	<u>L19</u>
<u>L18</u>	L16 and (usag\$ and monitor\$)	1	<u>L18</u>
<u>L17</u>	L16 and (usag\$ and monitor\$ and subscrib\$)	0	<u>L17</u>
<u>L16</u>	6574618.pn.	1	<u>L16</u>
<u>L15</u>	11 and (hash\$ or digital* Or signatur\$ Or key)	1	<u>L15</u>
<u>L14</u>	6370573.pn.	1	<u>L14</u>
<u>L13</u>	5581706.pn.	1	<u>L13</u>
<u>L12</u>	5504886.pn.	1	<u>L12</u>
<u>L11</u>	11 and shar\$	0	<u>L11</u>
<u>L10</u>	11 and (start\$ and send and usag\$ or user\$)	1	<u>L10</u>
<u>L9</u>	11 and (key\$ or encryp\$)	1	<u>L9</u>
<u>L8</u>	11 and (key\$ or ecryp\$)	1	<u>L8</u>

<u>L7</u>	11 and access	1	<u>L7</u>
<u>L6</u>	11 and (display\$ Or retriev\$ or view\$ or window\$)	1	<u>L6</u>
<u>L5</u>	11 and (user\$ and monitors) and display\$	1	<u>L5</u>
<u>L4</u>	11 and subscrib\$	0	<u>L4</u>
<u>L3</u>	11 and (init\$ or start\$)	1	<u>L3</u>
<u>L2</u>	11 and compres\$	1	<u>L2</u>
<u>L1</u>	6757894.pn.	1	<u>L1</u>

Search Forms Search Results	Refine Se	arch		
Help	Search Results -			
User Searches				
Preferences	Terms	Documents		
Logout	L13 and (distribut\$)	79		
<u> </u>				

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L14











Search History

DATE: Wednesday, February 09, 2005 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB = U	SPT; PLUR=YES; OP=ADJ		
<u>L14</u>	L13 and (distribut\$)	79	<u>L14</u>
<u>L13</u>	L12 and minimu\$	166	<u>L13</u>
<u>L12</u>	block\$ same (equal\$ or four kilobyte) near4 page	396	<u>L12</u>
<u>L11</u>	11 and (operating system same execut\$)	1	<u>L11</u>
<u>L10</u>	11 and data base\$	1	<u>L10</u>
<u>L9</u>	11 and (file\$ Or name\$ or block\$ Or stor\$ or direct\$)	1	<u>L9</u>
<u>L8</u>	L7 and (same\$ or similar\$ or lik\$ or predic\$) same (block\$ or data\$ or modul\$)	. 1	<u>L8</u>
<u>L7</u>	6839765.pn.	1	<u>L7</u>
<u>L6</u>	11 and (predict\$ or similar\$ or same\$)	1	<u>L6</u>
<u>L5</u>	11 and (start\$ Or begin\$) same (user\$ or input\$)	1	<u>L5</u>
<u>L4</u>	11 and prior\$	1	<u>L4</u>
<u>L3</u>	L2 and (load\$ Or download\$)	1	<u>L3</u>

 L2
 L1 and (start\$ or boot\$ Or begin\$)
 1
 L2

 L1
 6633898.pn.
 1
 L1

Membership

Print Format

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE

Publications/Services Standards



IEEE)	Welcome United States Patent and Trademark Office					
Help FAQ Terms IEE	E Peer Review Quick Links Se					
Welcome to IEEE Xplore® - Home - What Can I Access? - Log-out	Your search matched 0 of 1124699 documents. A maximum of 500 results are displayed, 15 to a page, sorted by Relevance Descending order. Refine This Search:					
Tables of Contents O- Journals	You may refine your search by editing the current search expression or enterinew one in the text box. client and server and block and initialization and stall Search					
& Magazines Check to search within this result set Proceedings						
O- Standards Search	Results Key: JNL = Journal or Magazine CNF = Conference STD = Standard					
O- By Author O- Basic O- Advanced O- CrossRef	Results: No documents matched your query.					
Member Services Join IEEE Establish IEEE Web Account Access the IEEE Member Digital Library						
O- Access the IEEE Enterprise File Cabinet						

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account |
New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online
Publications | Help | FAQ | Terms | Back to Top

Copyright © 2004 IEEE — All rights reserved